

Date: 17<sup>th</sup> March 2015

### Corrigendum – 1

**Subject: Corrigendum-1 Extension of Date of Submission for the tender “RFQ for AMC renewal of Generic System (GS) Hardware and System software at CDC, Navi Mumbai and BCC, Hyderabad”**

All prospective Bidders interested in participating for bidding are requested to refer to the Original Tender Notice “**RFQ for AMC renewal of Generic System (GS) Hardware and System software at CDC, Navi Mumbai and BCC, Hyderabad**” released on our Website (<http://www.utiitsl.com>) on 05-March-2015 and the current Corrigendum-1 document being detailed as under.

Prospective bidders are requested to note the below modifications / corrections and submit their quotes accordingly.

Modification/ Correction:

| <b>Clause No./ Table No./ Annexure No./ Page No.</b>   | <b>Clause / Details</b>   | <b>Modification / Correction</b>   |
|--|---|--|
| Part I - Page No. 2, point 2 and<br>Part III . Page 20 | Last date of receipt of sealed bids is upto 3.00 PM on 17 <sup>th</sup> March -2015 | <b>Last Date of Bid Submission is Extended upto 3:00 PM on 23<sup>rd</sup> March -2014</b> |

Rest all Terms and Conditions, tables notified earlier to release of the corrigendum remains unchanged.